UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/566,273	01/30/2006	Atsuo Okaichi	050868	1681	
	7590 06/08/201 T OS & HANSON, LL	-	EXAMINER		
1420 K Street, N.W.			STIMPERT, PHILIP EARL		
4th Floor WASHINGTON, DC 20005			ART UNIT	PAPER NUMBER	
			3746		
			MAIL DATE	DELIVERY MODE	
			06/08/2010	PAPER	

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)				
	10/566,273	OKAICHI ET AL.				
Office Action Summary	Examiner	Art Unit				
	Philip Stimpert	3746				
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	orrespondence address -	-			
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period w - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 16(a). In no event, however, may a reply be tim ill apply and will expire SIX (6) MONTHS from cause the application to become ABANDONEI	I. lely filed the mailing date of this communica (35 U.S.C. § 133).				
Status						
1) Responsive to communication(s) filed on 23 Ma	arch 2010.					
·= · ·	· · · · · · · · · · · · · · · · · · ·					
3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits						
closed in accordance with the practice under E	x parte Quayle, 1935 C.D. 11, 45	3 O.G. 213.				
Disposition of Claims						
4)⊠ Claim(s) <u>4 and 15</u> is/are pending in the applicat	tion.					
4a) Of the above claim(s) is/are withdraw						
5) Claim(s) is/are allowed.						
6)⊠ Claim(s) <u>4 and 15</u> is/are rejected.						
7) Claim(s) is/are objected to.						
8) Claim(s) are subject to restriction and/or	election requirement.					
Application Papers						
9)☐ The specification is objected to by the Examiner	•					
10)⊠ The drawing(s) filed on <u>30 January 2006</u> is/are: a)⊠ accepted or b)□ objected to by the Examiner.						
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).						
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).						
11)☐ The oath or declaration is objected to by the Ex						
Priority under 35 U.S.C. § 119						
12)⊠ Acknowledgment is made of a claim for foreign	priority under 35 U.S.C. § 119(a)	-(d) or (f).				
a)⊠ All b)□ Some * c)□ None of:						
1. Certified copies of the priority documents						
2. Certified copies of the priority documents						
3. Copies of the certified copies of the prior	•	d in this National Stage				
application from the International Bureau						
* See the attached detailed Office action for a list of	* See the attached detailed Office action for a list of the certified copies not received.					
Attachment(s)						
1) Notice of References Cited (PTO-892)	4) Interview Summary	(PTO-413)				
2) Notice of Draftsperson's Patent Drawing Review (PTO-948)	Paper No(s)/Mail Da	ite				
3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date	5) Notice of Informal P 6) Other:	atent Application				
Tapor Molo/Miniali Dato	o/					

Application/Control Number: 10/566,273 Page 2

Art Unit: 3746

DETAILED ACTION

Claim Objections

1. Claim 4 is objected to because of the following informalities: the claim recites "a plurality of plates" and "a plurality of said plates." It is unclear whether the second recitation refers to the whole plurality of the originally recited plates or some portion thereof. Appropriate correction is required.

Claim Rejections - 35 USC § 112

- The following is a quotation of the second paragraph of 35 U.S.C. 112:
 The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.
- 3. Claims 4 and 15 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.
- 4. Both claims recite "the turning flow" without providing antecedent basis for the term.

Claim Rejections - 35 USC § 103

- 5. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 6. Claim 4 is rejected under 35 U.S.C. 103(a) as being unpatentable over US Patent 5,554,015 to Dreiman et al. (Dreiman) in view of US Patent 5,937,817 to Schanz et al. (Schanz) and US Patent 5,582,271 to Mielo (Mielo).

Application/Control Number: 10/566,273

Art Unit: 3746

1. Dreiman teaches a compressor comprising a container (22), a compressor mechanism (piston and cylinder, see Fig. 1) which is disposed in a lower portion (34) of the container for compressing working fluid (refrigerant), a motor (24) having a stator (38) and a rotor (40) which are disposed in an upper portion (32) of the container for driving the compressor mechanism, a discharge pipe (not labeled, lower chamber to the left of the piston) which is disposed in an upper space (above the bottom) of the container for discharging the compressed working fluid, an oil reservoir (30) which is provided at a bottom of the container for storing refrigeration oil (col. 3, ln. 55, "oil sump"). The operation of the motor, and in particular the rotation of the rotor in use will inherently generate a rotational flow of the working fluid within the container. Dreiman does not teach a wave-suppressing member in the oil reservoir.

Page 3

2. Schanz teaches an oil cooling system for an internal combustion engine. Schanz particularly teaches that "aeration or foaming of the oil affecting the oil's performance in lubricating..." (col. 1, ln. 22-23). Schanz also teaches providing a baffle (102), or divided member, in an oil reservoir, the baffle comprising vertical walls (126, 130) which "enhance the cooling and de-aerating aspects of the oil cooling system" (col. 6, ln. 17-18) and being able to move and float within the reservoir (col. 6, ln. 1-6). Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to provide the oil reservoir of the compressor of Dreiman with a baffle as taught by Schanz, in order to prevent effects from aeration on the lubrication of the compressor. However, Schanz does not specifically teach that the baffle (102) extends astride an

Art Unit: 3746

interface between the oil and a separate working fluid. Further, the baffle taught by Schanz and provided to Dreiman includes a plurality of vertical plates (126, 130).

- 7. Mielo teaches an apparatus for filtering oil in a reservoir. In particular, Mielo teaches a floating surface flow-leveling means (20) which floats on a surface of the oil and allows air bubbles to escape (de-aeration) via a construction including laths (25) which are partially immersed in the oil. Further, Mielo teaches an oil reservoir in which there is space for a second, gaseous fluid. As a side note, the examiner notes that reference sign 23 in the drawings appears to equate to 25 in the specification. Since the oil reservoir of Dreiman is the bottom of the container (22) of the compressor, and thus is open at its upper end, it would have been obvious to one of ordinary skill at the time of the invention to provide the baffle of Schanz at the interface of oil and refrigerant in Dreiman, as taught by Mielo, in order to adapt the de-aeration teachings of Schanz to the compressor oil reservoir of Dreiman. Thus provided, the baffle would divide the interface into a plurality of sections, or pieces, for instance along each deflector wall (130). The Oxford English Dictionary website provides the following definition for lattice:
- "1. a. A structure made of laths, or of wood or metal crossed and fastened together, with open spaces left between; used as a screen, e.g. in window openings and the like; a window, gate, screen, etc. so constructed,"

(http://dictionary.oed.com/cgi/entry/50130372?query_type=word&queryword=lattice&firs t=1&max_to_show=10&sort_type=alpha&result_place=1&search_id=0Bzr-jirN5h-1875&hillite=50130372, retrieved 18 December 2009). Therefore, inasmuch as the structure of Mielo is formed of laths, it is considered to teach a lattice as claimed, which

Application/Control Number: 10/566,273

Art Unit: 3746

would be obvious to provide in order to allow for the floating feature of the combination. Finally, since the lattice structure provided to the oil sump of Dreiman by the combination has a cross-sectional area in the plane of the oil surface, the area of the oil surface exposed to the turning flow of the motor is decreased by at least that cross-sectional area.

Page 5

- 8. Claim 15 is rejected under 35 U.S.C. 103(a) as being unpatentable over Dreiman in view of Schanz and Mielo, and further in view of JP 2002-239311 to Inoue (based on the machine translation included with this action).
- 9. As detailed above, Dreiman, Schanz, and Mielo teach the limitations of claim 15, with the exception of the mesh member disposed in the divided portion. Inoue generally teaches an apparatus for handling highly viscous materials (paragraph 1), and particularly teaches providing a divided screen (4) with a mesh member (see paragraph 9). Inoue teaches that this mesh member de-aerates the process fluid (see paragraph 19). Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to provide a mesh as taught by Inoue in order to enhance the deaeration taught by Schanz in the modified installation of Dreiman.

Response to Arguments

- 10. Applicant's arguments filed 23 March 2010 have been fully considered but they are not persuasive.
- 11. With respect to the objection to claim 4, the issue has not been addressed, since "a plurality" is still effectively recited twice positively.

Art Unit: 3746

- 12. With respect to the argument that the present combination does not teach the turning flow limitations added to the claims, the examiner disagrees. The limitations of turning flow and area reduction are inherent to the proposed combination.
- 13. With respect to the argument that the pressure is too high within the container of Dreiman for bubbles to form, the examiner finds no evidence to support this allegation.
- 14. With respect to the argument that the mesh of Inoue "is clearly different from a 'floating-type wave-suppressing member' of the subject application," the argument is something of a non sequitur. Inoue relates to de-aeration, which is a purpose of the flow-leveling means of Mielo. Therefore one of ordinary skill would be motivated to enhance the effectiveness of the lattice of Mielo with a mesh as taught by Inoue. Whether or not this is similar to the applicant's apparatus is immaterial to the proposed combination of references.

Conclusion

15. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any

Application/Control Number: 10/566,273 Page 7

Art Unit: 3746

extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Philip Stimpert whose telephone number is (571)270-1890. The examiner can normally be reached on Mon-Fri 7:30AM-4:00PM, EST.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Devon Kramer can be reached on (571) 272-7118. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Devon C Kramer/ Supervisory Patent Examiner, Art Unit 3746

/P. S./ Examiner, Art Unit 3746 4 June 2010 Application/Control Number: 10/566,273

Page 8

Art Unit: 3746